

Bela-Monovit A

40.00 mg/ml (100 000 I.U. Vitamin A/ml),
emulsion for oral administration

Target species: Horses, cattle, pigs, chickens, dogs und cats

Active ingredient: Retinol propionate

Name and address of the marketing authorisation holder:

bela-pharm GmbH & Co. KG, Lohner Str. 19, 49377 Vechta - Germany

Statement of the active substance(s) and other ingredient(s):

1.0 ml emulsion contains:

Pharmacological active substance:

Retinol propionate (2 500 000 I.U./g) 40.00 mg
(equivalent to 100 000 I.U. Vitamin A)

Adjuvants:

Benzyl alcohol 18.90 mg
All-rac-alpha-tocopherol acetate 3.00 mg
Butylhydroxyanisole 1.00 mg
Butylhydroxytoluol 1.00 mg

Yellow emulsion

Indication(s):

Horses, foals, cattle, calves, sows, weaners, piglets, laying hens, young hens, chicks, dogs and cats.

Therapy of combined vitamin A deficiency diseases (disturbances of fertility, changes of the mucosa of the respiratory, gastro-intestinal or uro-genital tract, night blindness, retinal atrophy, hyperkeratosis of the skin) and substitution in increased demands (e.g. in stress situations or infectious diseases).

Contraindications: Not known.

Adverse reactions (frequency and seriousness): Not known.

Target species:

Horse, cattle, pig, chicken, dog and cat.

Dosage for each species, route(s) and method of administration:

For administration with the drinking water.

Bela-Monovit A is given at the following daily dose:

Horse, cattle: 5 - 10 ml per animal
Foal, calf, sow: 2 - 5 ml per animal
Weaner: 1 - 2 ml per animal
Piglet: 0.1 - 1 ml per animal
Dog: 0.05 - 0.5 ml per animal
Cat: 0.05 ml per animal
4000 *chicks:* 100 ml
2000 *young hens:* 100 ml
1600 *layers:* 100 ml

Duration of treatment: 2 days.

A scaled dose device with a maximal volume of 30 ml is added to the 1 l packing.



Advice on correct administration:Special warnings for each target species:

Not indicated.

Special precautions for use in animals:

Not indicated.

Special safety precautions to be taken by the person administering the medicinal product to animals:

Not indicated.

Use during pregnancy, lactation or lay:

As following excessive doses of vitamin A teratogenic effects have been observed in man and laboratory animals, a strong indication is required.

Interaction with other medicinal products and other forms of interaction:

Not known.

Overdose (symptoms, emergency procedures, antidotes):

Considerable overdose of vitamin A (retinol) comprise the danger of toxicity (hypervitaminosis). Symptoms of acute vitamin A intoxication are: somnolence, movement disorders, vomiting, and squamous degeneration of the skin. Following an overdose of vitamin A in pregnant animals, especially in the early stage of gestation, an increased number of foetal absorption, stillbirths and malformations may be observed.

Withdrawal period(s):

<i>Cattle, horse:</i>	Edible tissues:	0 days
	Milk:	0 days
<i>Pig:</i>	Edible tissues:	0 days
<i>Chicken:</i>	Edible tissues:	0 days
	Eggs:	0 days

Special storage precautions:

Store in a refrigerator (+ 2 °C to + 8 °C).

After opening do not store at temperatures exceeding 25 °C.

Keep out of reach and sight of children.

Shelf life after dilution or reconstitution according to directions:

The stability of the medicated drinking water is dependant on the influence of light.

Stability of the medicated drinking water in closed drinking systems: 12 hours

Stability of the medicated drinking water in open drinking systems: 2 hours

Do not use after the expiration date stated on the label.

Special warnings:

None.

Bela-Monovit A

Special precautions for the disposal of unused product or waste materials:

Remaining quantities shall be preferably given to pollutant collecting points. When wasted together with the general household waste, it has to be ensured that no misuse of the pharmaceutical is possible. Veterinary pharmaceuticals must not be wasted with waste water or sewage systems. Local regulations for the disposal of pharmaceuticals have to be observed.

Date on which the package leaflet was last approved: 24.07.2013

Marketing authorisation number: 6932583.00.00 (Germany)

For Veterinary use only.

Available in pharmacies only!